

**DOE READING ROOM
DOCUMENT TO BE RELEASED**

T070295

1. Location of Reading Room: Idaho Operations Public Reading Room 1776 Science Center Dr. University Place Idaho Falls, ID 83403	2. Expected Release Date: May 15, 1995
---	---

3. Document Type:

- ☒ Letter
☐ Memorandum
☐ Report
☐ Publication
☐ Other (Specify)

a. If letter or memo:

To: D. E. Williams, Director, Reactor Div, ID
From: John R. Horan, Director, H&S Div
Subject: EVALUATION OF THE
METEOROLOGICAL CONDITIONS FOR
JANUARY, 1966 SNAPTRAN-2 TESTS.
(2 LETTERS)

b. If report:

Title:

4. Document Date:

Dec 29, 1965

c. If publication:

Name:
Volume:
Issue:

5. Summary (2-3 lines indicating the major subject(s) of the document): "Attached is copy of letter C.Ray Dickson to W.P. Gammill..." presenting probabilities of attaining specified meteorological conditions for SNAPTRAN-2 during January, 1966. Best estimate is five or six test days during the test period.

6. Name and telephone number of person completing form: Burton R. Baldwin (208) 525-0203	7. Organization: Lockheed Idaho Technologies Co.	8. Date: March 28, 1995
--	--	--------------------------------

☐ Check here if a copy of the document is being sent to Headquarters.

HUMAN RADIATION EXPERIMENTS

RECORDS PROVENANCE FORM

REPOSITORY NAME	INEL
COLLECTION NAME	SYSTEM FOR NUCLEAR AUXILIARY POWER TRANSIENT (SNAPTRAN)
BOX NUMBER	INEL BOX NO. 22305 FRC AGENCY BOX NO. 30 FRC NO. 150673 ACCESSION NO. 430 78 0073
ADDITIONAL LOCATION INFORMATION	THE BOX IS STORED AT THE FEDERAL RECORDS CENTER (CRC) IN SEATTLE, WA. INEL RECORD STORAGE RECEIPT NUMBER IS 2506 FOLDER: SNAPTRAN 1965
FILE TITLE	EVALUATION OF THE METEOROLOGICAL CONDITIONS FOR JANUARY 1966 FOR SNAPTRAN -2 TESTS
TOTAL PAGES	
BATE NUMBER RANGE	
DOCUMENT NUMBER RANGE	

HEI FORM DOCUMENT NO.: T070035

DOCUMENT NO.: T070295

DOCUMENT TITLE: EVALUATION OF THE METEOROLOGICAL CONDITIONS FOR
JANUARY 1966 FOR SNAPTRAN -2 TESTS (2 LETTERS)

CROSS REFERENCES:

ITEMS OF INTEREST:

D. E. Williams, Director
Reactor Division

DEC 29 1965

John R. Horan, Director
Health and Safety Division

EVALUATION OF THE METEOROLOGICAL CONDITIONS FOR JANUARY 1966
FOR SNAPTRAN-2 TESTS

HSHP:WPG

ATTN: Dick Schirk

Attached are three copies of a memo from Ray Dickson to W. P. Gammill dated 12/28/65 in which are presented the probabilities of realizing proper meteorological conditions for the performance of the SNAPTRAN-2 destructive test during the period of January 11-31, 1966. You should be aware that these probabilities were derived from persistency and probability tables and are, therefore, not directly comparable with the probabilities presented in the 12-2-65 memo, which is also attached. It is our best estimate that five to six test days should be realized during the test period.

Enclosures:

Memo dtd 12/28/65 (3 cys)

Memo dtd 12/2/65

REPOSITORY

INEL

COLLECTION

SNAPTRAN

22305, FRC # 430 78 003

BOX No.

FILE: SNAPTRAN 1966

EVALUATION OF THE METEOROLOGICAL CONDITIONS OF
FOLDER JANUARY 1966 FOR SNAPTRAN-2 TESTS

OFFICE ▶	HSHP <i>WPG</i>	HSOS <i>WPG</i>	HS <i>JRH</i>			
SURNAME ▶	WPGammill/hb	RVBatie	JRHoran			
DATE ▶	12/29/65	12/29/65				

UNITED STATES GOVERNMENT

Memorandum

ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION

TO : W. P. Gammill, Chief
HP Branch

DATE: December 28, 1965

In reply refer to:

FROM : Ray Dickson, Acting MIC
ARFRO, Institute for Atmospheric Sciences

SUBJECT: Evaluation of the Meteorological Conditions for January 1966
for SNAPTRAN-2 Tests.

Considerations have been given for meteorological requirements for SNAPTRAN-2 to determine the best possible conditions that will enhance the probability of performing the tests in the month of January from the 10th to the 31st.

To obtain the expected percentages of test days under the following listed conditions, speeds, and temperature profiles (stability), and direction persistence and no precipitation for the TAN area were evaluated. The results are listed below.

A total sector of 337° has been considered; wind speed - 6 miles per hour or greater; stability - neutral to strong lapse (daylight hours only); 3-hour persistence, 1-hour established before tests or 2 hours of continuation for test period. Probability of direction, speed and stability conditions were compiled to obtain the following percentages of hours of test conditions.

Table I.

<u>Wind Direction</u>	^{Hours} <u>% of Test Days</u>
N *	1.1
NNE	2.5
ENE	1.7
NE	3.4
E	0.5
ESE	0.3
SE	0.2
SSE	0.2
S	0.9
SSW	1.2
SW	1.0
WSW	0.4
W	0.4
WNW	0.5
NW	1.0
NNW*	1.2

W. P. Gammill

- 2 -

December 28, 1965

*The above conditions were considered excluding wind directions from 334.5° to 357.5°.

A total of 15.9% of daylight hours meet the above listed conditions.

The data presented here is to establish the more probable meteorological conditions under which the test could be conducted.

C. Ray Dickson

C. Ray Dickson
Acting Meteorologist in Charge